## AUTHOR INDEX

Agterdenbos, J., see Narsito 315 Alexander, P. W.

- and Koopetngarm, J.

Flow-injection determination of phosphate species in detergents with a calcium ion-selective electrode 353

Al-Hajjaji, M. A.

Spectrophotometric and spectrofluorimetric determination of iodide by extraction of ICl<sub>1</sub> with rhodamine B 281

Balls, P. W.

Atomic absorption spectrometric/hydride generation determination of tributyltin and dibutyltin in sea water at the nanogram per litre level 309

Batley, G. E., see Low, G. K.-C. 327

Bauer, B.

- and Floyd, T. A.

Monitoring of glucose in biological fluids by Fourier-transform infrared spectrometry with a cylindrical internal reflectance cell 295

Boitieux, J. L.

—, Groshemy, R., Thomas, D. and Ergan, F. Reversible immobilization of an antibody with a thiol-substituted sorbent. Application to enzyme immunoassays 229

Bradshaw, S.

-, Gascoigne, A. J., Headridge, J. B. and Moffett, J. H.

Determination of copper in natural waters by atom-trapping atomic absorption spectrometry after liquid/liquid extraction 323

Buchanan, S. J., see Low, G. K.-C. 327 Burns, D. T.

- and Tungkananuruk, N.

Spectrophotometric determination of bismuth after extraction of hexadecyltributylphosphonium tetraiodobismuthate(III) by microcrystalline benzophenone 285

Busheina, I. S.

-, Headridge, J. B., Johnson, D., Jackson,

K. W., McLeod, C. W. and Roberts, J. A. Determination of trace elements in gallium arsenide by graphite-furnace atomic absorption spectrometry after pretreatment in gas streams 87

Casey, H., see Worsfold, P. J. 43 Cavanaugh, J. R., see Hahn, E. C. 195 Chana, B. S.

- and Smith, N. J.

Urinary arsenic speciation by highperformance liquid chromatography/ atomic absorption spectrometry for monitoring occupational exposure to inorganic arsenic 177

Chesney, D. J.

—, Tallman, D. E., Peckrul, A. A., Cook, L. W. and Fleeker, J. R. Improved quantitation of 2,4-dichlorophenol in plant tissues by high-performance liquid chromatography with amperometric detection 159

Chipperfield, J. R.

- and Webster, D. E.

A simple automatic titrator based on a digital balance 373

Clinch, J. R., see Worsfold, P. J. 43 Colmsiö, A. L.

Cryogenic-temperature fluorescence spectroscopy of polynuclear aromatic hydrocarbons of molecular weight 328

Colmsjö, A. L.

Cryogenic-temperature fluorescence spectroscopy of polynuclear aromatic hydrocarbons of molecular weight 378 71

Cook, L. W., see Chesney, D. J. 159

Delves, H. T., see Fairhurst, J. 97 Demas, D. J., see Turley, T. J. 121 Dicks, J. M., see Muramatsu, H. 347

Ergan, F., see Boitieux, J. L. 229

Fairhurst, J.

-, Lloyd, B. and Delves, H. T.

Determination of selenium in human tissues by atomic absorption spectrometry 97

Fleeker, J. R., see Chesney, D. J. 159 Florence, T. M., see Zhang, M. 136 Floyd, T. A., see Bauer, B. 295 Freiser, H., see Taguchi, S. 333

Garbassi, F.

 and Occhiello, E.
 Spectroscopic techniques for the analysis of polymer surfaces and interfaces 1
 Garcia Sanchez, F.

Hernandez Lopez, M. and Marquez Gomez, J. C.
Isodifferential derivative approach to the spectrophotometric determination of nickel and cobalt mixtures 275

Gascoigne, A. J., see Bradshaw, S. 323 Groshemy, R., see Boitieux, J. L. 229 Guilbault, G. G., see Hahn, E. C. 195

Hahn, E. C.

— Suleiman, A. A., Guilbault, G. G. and Cavanaugh, J. R. A piezoelectric crystal detector for determination of acetoin in air 195

Han, S. M.

—, Purdie, N. and Swallows, K. A.

Determination of the benzodiazepin-2ones by circular dichroism 57

Harrington, P. B.

- and Isenhour, T. L.

A quantitative measure of the reliability of searches of spectral libraries 105 Haworth, D. T., see Pitluck, M. R. 339 Hayashi, C., see Yamaguchi, Y. 291 Hayashi, Y.

—, Zaitsu, K. and Ohkura, Y. Assay for guanase in blood serum by flow injection analysis with fluorescence detection 51

Headridge, J. B., see Bradshaw, S. 323 Headridge, J. B., see Busheina, I. S. 87 Hernandez Lopez, M., see Garcia Sanchez, F. 275

Herold, D. A.

—, Savory, J., Kinter, M., Ross, R. and Wills, M. R.

Determination of urinary prostanoids by capillary gas chromatography/highresolution mass spectrometry 149 olistic M. see Targehi S. 232

Hojjatie, M., see Taguchi, S. 333 Hua, C.

-, Jagner, D. and Renman, L.

Determination of selenium by means of computerized flow constant-current stripping at carbon fibre electrodes. Application to human whole blood and milk powder 257

Hua, C.

—, Jagner, D. and Renman, L. Determination of uranium(VI) in seawater by means of automated flow constant-current cathodic stripping at carbon fibre electrodes 265

Huber, C. O., see Hui, B. S. 361

Hui, B. S.

- and Huber, C. O.

Temperature effects on amperometric detection at nickel oxide electrodes in flow-injection systems 361

Isenhour, T. L., see Harrington, P. B. 105

Jackson, K. W., see Busheina, I. S. 87 Jagner, D., see Hua, C. 257, 265 Jaramillo, A., see Owens, D. S. 249 Johnson, C. M., see Owens, D. S. 249 Johnson, D., see Busheina, I. S. 87

Karube, I., see Muramatsu, H. 347 Kinter, M., see Herold, D. A. 149 Koopetngarm, J., see Alexander, P. W. 353

Krull, U. J.

Planar artificial biomembranes optimized for biochemical assay 203 Kuroda, N.

—, Nohta, H. and Ohkura, Y. Room-temperature phosphorimetric determination of biogenic indole compounds adsorbed on a thin-layer chromatographic plate 169

Lloyd, B., see Fairhurst, J. 97 Low, G. K.-C.

—, Batley, G. E. and Buchanan, S. J. An interference effect in the use of inductively-coupled argon plasma spectrometric detection for high-performance liquid chromatography 327

Marín, A.

—, Silva, M. and Pérez-Bendito, D.
 Kinetic spectrophotometric determination of indium/gallium mixtures 77
 Marquez Gomez, J. C., see Garcia Sanchez, F. 275

McKie, J. C.

Determination of total tin and tributyltin in marine biological materials by electrothermal atomic absorption spectrometry 303

McLeod, C. W., see Busheina, I. S. 87 Miyai, K., see Yamaguchi, Y. 291 Moffett, J. H., see Bradshaw, S. 323 Muramatsu, H.

-, Dicks, J. M. and Karube, I. Integrated-circuit bio-calorimetric sensor for glucose 347

Narsito.

- and Agterdenbos, J. A study of arsenic(III) and arsenic(V) reduction and of arsine decomposition in hydride-generation atomic absorption spectrometry 315

Nohta, H., see Kuroda, N. 169

Occhiello, E., see Garbassi, F. 1 Ohkura, Y., see Hayashi, Y. 51 Ohkura, Y., see Kuroda, N. 169 Owens, D. S.

-, Johnson, C. M., Sturrock, P. E. and Jaramillo, A. Swept-potential oxidative detection in flow streams 249

Peckrul, A. A., see Chesney, D. J. 159 Pérez-Bendito, D., see Marín, A. 77 Pitluck, M. R.

-, Pollard, B. D. and Haworth, D. T. Determination of stability constants of a copper/citric acid complex by ionexchange chromatography and atomic absorption spectrometry 339

Pollard, B. D., see Pitluck, M. R. 339 Purdie, N., see Han, S. M. 57

Racek, J.

Lactate biosensor based on human erythrocytes 187 Renman, L., see Hua, C. 257, 265

Roberts, J. A., see Busheina, I. S. 87 Ross, R., see Herold, D. A. 149

Savory, J., see Herold, D. A. 149 Silva, M., see Marín, A. 77 Silver, G. L.

Operational method for slope estimations 129

Smith, N. J., see Chana, B. S. 177 Staden, J. F., van, see van Staden, J. F.

Sturrock, P. E., see Owens, D. S. 249 Suleiman, A. A., see Hahn, E. C. 195 Svensmark, B.

Staircase voltammetry as a rapid detection method for anodic stripping determination of lead 239

Swallows, K. A., see Han, S. M. 57

Taguchi, S.

-, Hojjatie, M. and Freiser, H. Extraction of lanthanides with 8-quinolinol in the presence of 6-amino-4,4'-(5nonyl)-2,2'-bipyridine 333

Tallman, D. E., see Chesney, D. J. 159 Thomas, D., see Boitieux, J. L. 229 Tungkananuruk, N., see Burns, D. T. 285 Turley, T. J.

Demas, J. N. and Demas, D. J. Microcomputerized ultrahigh-speed transient digitizer and luminescence lifetime instrument 121

Tuzhi, P., see Wang, J. 367

Van Staden, J. F.

- and Wagener, C. C. P. Flow-injection analysis with a coated tubular solid-state copper(II)-selective electrode 217

Wagener, C. C. P., see van Staden, J. F. 217 Walters, F. H.

Reversed-phase ion-pair separation of several weak organic acids found in urine 343

Wang, J.

- and Tuzhi, P.

Stripping voltammetry of trace metals in resistive solutions with mercury microelectrodes 367

Webster, D. E., see Chipperfield, J. R. 373 Wills, M. R., see Herold, D. A. 149 Worsfold, P. J.

-, Clinch, J. R. and Casey, H. Spectrophotometric field monitor for water quality parameters. The determination of phosphate 43

Yamaguchi, Y.

-, Hayashi, C. and Miyai, K. Spectrofluorimetric determination of 16α-hydroxyestrone by reaction with hexacyanoferrate(III) and arginine in alkaline solution 291

Zaitsu, K., see Hayashi, Y. 51

Zhang, M.

- and Florence, T. M.

A novel adsorbent for the determination of the toxic fraction of copper in natural waters 136



## **ANALYTICA CHIMICA ACTA**

(Abstracted, Indexed in: Anal. Abstr.; Biol. Abstr.; Chem. Abstr.; Curr. Contents Phys. Chem. Earth Sci.; Life Sci.; Index Med.; Mass Spectrom. Bull.; Sci. Citation Index; Excerpta Med.)

VOL 197	CONTENTS	JUNE 15,	1987
Review			
Spectroscopic techniques for	the analysis of polymer surfaces and interfaces		
F. Garbassi and E. Occhiel	lio (Novara, Italy)		1
Spectrometric Methods			
Spectrophotometric field mo	nitor for water quality parameters. The determination of phosp	hate	
P. J. Worsfold, J. R. Clinck	h (Hull, Gt. Britain) and H. Casey (Wareham, Gt. Britain)		43
Assay for guanase in blood se	erum by flow injection analysis with fluorescence detection		
Y. Hayashi, K. Zaitsu and	Y. Ohkura (Fukuoka, Japan)		51
Determination of the benzod	iazepin-2-ones by circular dichroism		
S. M. Han, N. Purdie and I	K. A. Swallows (Stillwater, OK, U.S.A.)		57
Cryogenic-temperature fluore	escence spectroscopy of polynuclear aromatic hydrocarbons of	molecular weight 328	
	n, Sweden)		65
	escence spectroscopy of polynuclear aromatic hydrocarbons of		
A. L. Colmsjö (Stockholm	n, Sweden)		71
Kinetic spectrophotometric d	determination of indium/gallium mixtures		
A. Marín, M. Silva and D.	Pérez-Bendito (Córdoba, Spain)		77
Determination of trace eleme pretreatment in gas stream	ents in gallium arsenide by graphite-furnace atomic absorption s ns	pectrometry after	
I. S. Busheina, J. B. Headr	ridge, D. Johnson, K. W. Jackson, C. W. McLeod (Sheffield, Gt.	Britain) and	
J. A. Roberts (Redhill, Gt	t. Britain)		87
Determination of selenium in	human tissues by atomic absorption spectrometry		
J. Fairhurst, B. Lloyd and	H. T. Delves (Southampton, Gt. Britain)		97
Computer Methods and Appli	ications		
A quantitative measure of the	e reliability of searches of spectral libraries		
P. B. Harrington and T. L.	. Isenhour (Logan, UT, U.S.A.)		105
Microcomputerized ultrahigh-	-speed transient digitizer and luminescence lifetime instrument		
T. J. Turley, J. N. Demas	and D. J. Demas (Charlottesville, VA, U.S.A.)		121
Operational method for slope			
G. L. Silver (Miamisburg,	OH, U.S.A.)		129
Separations			
	termination of the toxic fraction of copper in natural waters		
M. Zhang and T. M. Flore	nce (Menai, N.S.W., Australia)		137
Determination of urinary pro	stanoids by capillary gas chromatography/high-resolution mass	spectrometry	
D. A. Herold, J. Savory, N	M. Kinter, R. Ross and M. R. Wills (Charlottesville, VA, U.S.A.).		149
Improved quantitation of 2,4 amperometric detection	I-dichlorophenol in plant tissues by high-performance liquid chr	omatography with	
D. J. Chesney, D. E. Talim	nan, A. A. Peckrul, L. W. Cook and J. R. Fleeker (Fargo, ND, U	.S.A.)	159
Room-temperature phosphori chromatographic plate	fimetric determination of biogenic indole compounds adsorbed	on a thin-layer	
N. Kuroda, H. Nohta and	Y. Ohkura (Fukuoka, Japan)		169
Urinary arsenic speciation by	high-performance liquid chromatography/atomic absorption spexposure to inorganic arsenic		
	th (London, Gt. Britain)		177

## (Contents continued)

Electrometric Methods	
Lactate biosensor based on human erythrocytes	
J. Racek (Plzeň, Czechoslovakia)	187
A piezoelectric crystal detector for determination of acetoin in air	
E. C. Hahn, A. A. Suleiman, G. G. Guilbault (New Orleans, LA, U.S.A.) and J. R. Cavanaugh	
(Philadelphia, PA, U.S.A.)	195
Planar artificial biomembranes optimized for biochemical assay	-
U. J. Krull (Mississauga, Ont., Canada)	203
Flow-injection analysis with a coated tubular solid-state copper (II)-selective electrode	
J. F. van Staden and C. C. P. Wagener (Pretoria, South Africa)	217
Reversible immobilization of an antibody with a thiol-substituted sorbent. Application to enzyme	
immunoassavs	
J. L. Boitieux, R. Groshemy, D. Thomas (Compiègne, France) and F. Ergan (Montreal, Canada)	229
Staircase voltammetry as a rapid detection method for anodic stripping determination of lead	
B. Svensmark (Copenhagen, Denmark).	239
Swept-potential oxidative detection in flow streams	
D. S. Owens, C. M. Johnson, P. E. Sturrock (Atlanta, GA, U.S.A.) and A. Jaramillo (Cali, Colombia)	249
Determination of selenium by means of computerized flow constant-current stripping at carbon fibre	
electrodes. Application to human whole blood and milk powder	
C. Hua, D. Jagner and L. Renman (Lund, Sweden)	257
Determination of uranium(VI) in seawater by means of automated flow constant-current cathodic stripping	
at carbon fibre electrodes	
C. Hua, D. Jagner and L. Renman (Lund, Sweden)	265
Short Communications	
Isodifferential derivative approach to the spectrophotometric determination of nickel and cobalt mixtures	
F. Garcia Sanchez, M. Hernandez Lopez and J. C. Marquez Gomez (Malaga, Spain)	275
Spectrophotometric and spectrofluorimetric determination of iodide by extraction of ICI; with rhodamine B	
M. A. Al-Hajjaji (Makkah Al-Mukarramah, Saudi Arabia)	281
Spectrophotometric determination of bismuth after extraction of hexadecyltributylphosphonium	
tetraiodobismuthate(III) by microcrystalline benzophenone	
D. Thorburn Burns and N. Tungkananuruk (Beifast, Northern Ireland)	285
Spectrofluorimetric determination of 16α-hydroxyestrone by reaction with hexacyanoferrate(III) and arginine	
in alkaline solution	
Y. Yamaguchi, C. Hayashi and K. Miyai (Osaka, Japan)	291
Monitoring of glucose in biological fluids by Fourier-transform infrared spectrometry with a cylindrical internal	
reflectance cell	
B. Bauer and T. A. Floyd (Moscow, ID, U.S.A.)	298
Determination of total tin and tributy/tin in marine biological materials by electrothermal atomic absorption	
spectrometry	
J. C. McKie (Aberdeen, Gt. Britain)	303
Atomic absorption spectrometric/hydride generation determination of tributyltin and dibutyltin in sea water	
at the nanogram per litre level	
P. W. Balls (Aberdeen, Gt. Britain)	309
A study of arsenic(III) and arsenic(V) reduction and of arsine decomposition in hydride-generation atomic	
absorption spectrometry	
Narsito and J. Agterdenbos (Utrecht, The Netherlands)	315
Determination of copper in natural waters by atom-trapping atomic absorption spectrometry after	
liquid/liquid extraction	
S. Bradshaw, A. J. Gascoigne, J. B. Headridge (Sheffield, Gt. Britain) and J. H. Moffett (Suva, Fiji)	323
An interference effect in the use of inductively-coupled argon plasma spectrometric detection for	
high-performance liquid chromatography	
G. KC. Low, G. E. Batley and S. J. Buchanan (Sutherland, N.S.W., Australia)	327
Extraction of lanthanides with 8-quinolinol in the presence of 6-amino-4.4'-(5-nonyl)-2.2'-bipyridine	
S. Taguchi, M. Hojjatie and H. Freiser (Tucson, AZ, U.S.A.)	333

Determination of stability constants of a copper/citric acid complex by ion-exchange chromatography and atomic absorption spectrometry	
M. R. Pitluck, B. D. Pollard and D. T. Haworth (Milwaukee, WI, U.S.A.)	339
Reversed-phase ion-pair separation of several weak organic acids found in urine	
F. H. Walters (Lafayette, LA, U.S.A.)	343
Integrated-circuit bio-calorimetric sensor for glucose	
H. Muramatsu (Chiba, Japan), J. M. Dicks (Cranfield, Gt. Britain) and I. Karube (Yokohama, Japan)	347
Flow-injection determination of phosphate species in detergents with a calcium ion-selective electrode	
P. W. Alexander and J. Koopetngerm (Kensington, N.S.W., Australia)	353
Temperature effects on amperometric detection at nickel oxide electrodes in flow-injection systems	
B. S. Hui and C. O. Huber (Milwaukee, WI, U.S.A.)	361
Stripping voltammetry of trace metals in resistive solutions with mercury microelectrodes	
J. Wang and P. Tuzhi (Las Cruces, NM, U.S.A.)	367
A simple automatic titrator based on a digital balance	
J. R. Chipperfield and D. E. Webster (Hull, Gt. Britain)	373
Author Index	37